AMENDMENT TO THE CLAIMS:

The listing of claims will replace all prior versions, and listings of claims in the application:

<u>Listing of Claims</u>:

1-18. (Cancelled)

19. (Currently Amended) A display arrangement including a liquid crystal display comprising a window which covers the liquid crystal display to provide protection thereof and the arrangement for holding the liquid crystal display in a position relative to a housing including first and second housing parts comprising:

an elastic part located between the liquid crystal display and the second housing part, contacting the first housing part and including a portion which contacts an under surface of the window to seal a space between a top of the liquid crystal display and the under surface, a cavity located between a periphery of the liquid crystal display and the first housing part, and an adhesive member applied along a periphery of a bottom surface of the liquid crystal display which attaches the liquid crystal display to the housing; and wherein

the first housing part covers the periphery and the bottom surface of the liquid crystal display and the second housing part covers a periphery of a top surface of the liquid crystal display.

20. (Previously presented) A display arrangement according to claim 19 wherein:

the elastic part surrounds an inner periphery of the second housing part.

21. (Currently Amended) A display arrangement according to claim 20 wherein:

the elastic part is flexible and is located on the second housing part to provide pressure on the liquid crystal display and provide a dust-proof seal between the window of the-liquid crystal display and the housing.

22. (Previously Presented) A display arrangement according to claim 19 comprising:

a side connector to a printed circuit board located on a side of the liquid crystal display.

23. (Previously Presented) A display arrangement according to claim 20 comprising:

a side connector to a printed circuit board located on a side of the liquid crystal display.

24. (Previously Presented) A display arrangement according to claim 21 comprising:

a side connector to a printed circuit board located on a side of the liquid crystal display.

- 25. (Previously Presented) A communication terminal, comprising: a display arrangement according to claim 19.
- 26. (Previously Presented) A communication terminal, comprising: a display arrangement according to claim 20.
- 27. (Previously Presented) A communication terminal, comprising: a display arrangement according to claim 21.
- 28. (Previously Presented) A communication terminal, comprising: a display arrangement according to claim 22.
- 29. (Previously Presented) A communication terminal, comprising: a display arrangement according to claim 23.
- 30. (Previously Presented) A communication terminal, comprising: a display arrangement according to claim 24.

31. (Currently Amended) A method for arranging a liquid crystal display including a window which covers the liquid crystal display to provide protection thereof in relation to a housing including first and second housing parts in an electronic equipment comprising:

applying an adhesive member along a periphery of a bottom surface of the liquid crystal display and attaching the liquid crystal display with the adhesive member to the first housing part, mounting the second housing part to cover a periphery of a top surface of the liquid crystal display with an elastic member located between the second part and a top surface of the liquid crystal display, the elastic member contacting the first housing part and which includes including a portion which contacts an under surface of the window to seal a space between a top of the liquid crystal display and the under surface and wherein the elastic member establishes a pressure on the top surface of the liquid crystal display which retains the relative position between the liquid crystal display and the housing parts.

32. (Currently Amended) A method for establishing a flexible display arrangement, comprising:

attaching a liquid crystal display, including a window which covers the liquid crystal display to provide protection thereof, to a housing including first and second housing parts wherein the first housing part covers a periphery of the liquid crystal display and a bottom surface of the liquid crystal display and the second housing part covers a periphery of a top surface of the liquid crystal display with an adhesive member located along a periphery of the bottom surface of the liquid

crystal display with the housing including a cavity located between side walls of the housing and a side periphery of the liquid crystal display; and

applying an elastic member between a top surface of the liquid crystal display and the second part of the housing, the elastic member contacting the first housing part and including a portion which contacts an under surface of the window to seal a space between a top of the liquid crystal display and the under surface.

33. (Previously Presented) A method according to claim 32 wherein:

the liquid crystal display is attached to a first housing part with the adhesive member, and the second housing part and the elastic member surrounds an inner periphery of the second housing part with the elastic member applying a retaining force on a top surface of the liquid crystal display.

- 34. (New) A display arrangement in accordance with claim 19 wherein the elastic member contacts the second housing part.
- 35. (New) A display arrangement in accordance with claim 20 wherein the elastic member contacts the second housing part.
 - 36. (New) A communication terminal comprising: a display arrangement according to claim 34.
 - 37. (New) A communication terminal comprising: a display arrangement according to claim 35.

38. (New) A method in accordance with claim 31 wherein the elastic member contacts the second housing part.

- 39. (New) A method in accordance with claim 32 wherein the elastic member contacts the second housing part.
- 40. (New) A method in accordance with claim 33 wherein the elastic member contacts the second housing part.